

## ZJAZDY

Lp.	Pikietaż	Strona	Wymiary zjazdu			Długość opornika	Wymiary przepustu	
			szer.	długość	powierz.		średnica	długość
1	2	3	4	5	6	7	8	9
<b>Zjazdy o nawierzchni tłuczniowej</b>								
1	21+442	lewa	5,0	1,70	9,25	0,0		
2	21+442	prawa	5,0	1,60	8,75			
3	21+466	lewa	4,0	1,80	7,95			
4	21+475	lewa	4,0	1,90	8,35			
5	21+477	prawa	4,0	2,00	8,75			
6	21+490	lewa	4,0	1,90	8,35			
7	21+491	prawa	5,0	6,30	32,25			
8	21+506	lewa	4,0	1,90	8,35			
9	21+509,5	prawa	5,0	5,20	26,75			
10	21+515	lewa	4,0	1,95	8,55			
11	21+521	prawa	4,0	2,20	9,55			
12	21+547	lewa	4,0	1,90	8,35			
13	21+556	prawa	4,0	2,30	9,95		0,3	7,0
14	21+564	lewa	4,0	1,80	7,95			
15	21+575	lewa	4,0	1,80	7,95			
16	21+585	prawa	4,0	2,50	10,75		0,3	7,0
17	21+621	lewa	4,0	1,80	7,95			
18	21+621	prawa	4,0	2,60	11,15		0,3	7,0
19	21+631	prawa	4,0	2,65	11,35		0,3	7,0
20	21+659	lewa	4,0	1,75	7,75			
21	21+663	prawa	4,0	2,80	11,95		0,3	7,0
22	21+696	lewa	4,0	2,00	8,75			
23	21+711	lewa	4,0	2,00	8,75			
24	21+711	prawa	4,0	2,55	10,95		0,3	7,0
25	21+789	prawa	4,0	2,00	8,75			
26	21+835	lewa	4,0	2,60	11,15		0,3	7,0
27	21+835	prawa	4,0	1,65	7,35			
28	21+885	prawa	4,0	1,25	5,75			
29	21+909	lewa	4,0	1,00	4,75			
31	21+913	prawa	5,0	1,00	5,75			
32	21+933	lewa	5,0	1,00	5,75			
33	21+938	prawa	5,0	1,00	5,75			
34	21+952	prawa	5,0	1,00	5,75			
35	21+966	lewa	5,0	2,75	14,50			
36	21+981	prawa	5,0	0,75	4,50			
37	22+012	prawa	5,0	0,75	4,50			
38	22+017	prawa	5,0	0,75	4,50			
39	22+032	prawa	5,0	1,00	5,75			
40	22+051	prawa	5,0	1,50	8,25			
41	22+070,5	prawa	5,0	2,10	11,25			
42	22+089,5	prawa	5,0	2,10	11,25			
43	22+095,5	prawa	5,0	2,05	11,00			

44	22+114,5	prawa	5,0	2,00	10,75			
45	22+132	prawa	5,0	2,05	11,00			

418,40

0,0

49,00

Zjazdy o nawierzchni z kostki brukowej								
63	21+938	prawa						zjazdy przez utwardzone pobocze
64	21+952	prawa						
65	21+966	prawa						
66	22+049	lewa	5,0	1,50	8,25	15,1		
67	22+084,5	lewa	5,0	2,45	13,00	17,0		
68	22+130,5	lewa	5,0	2,45	13,00	17,0		
69	22+151	lewa	5,0	2,45	13,00	17,0		
70	22+184	lewa	5,0	2,60	13,75	17,3		
71	22+241	lewa	5,0	2,70	14,25	17,5		
72	22+270,5	lewa	5,0	2,75	14,50	17,6		
73	22+301	lewa	5,0	2,80	14,75	17,7		
74	22+323	lewa	5,0	2,60	13,75	17,3		
75	22+344	lewa	5,0	2,70	14,25	17,5		
76	22+407,5	lewa	5,0	2,80	14,75	17,7		
77	22+439,5	lewa	5,0	2,80	14,75	17,7		
78	22+455	lewa	5,0	2,80	14,75	17,7		
79	22+484	lewa	5,0	2,90	15,25	17,9		
80	22+511	lewa	5,0	2,90	15,25	17,9		
81	22+518	lewa	5,0	2,90	15,25	17,9		
82	22+547	lewa	5,0	2,95	15,50	18,0		
83	22+575,5	lewa	5,0	2,95	15,50	18,0		
84	22+602,5	lewa	5,0	2,90	15,25	17,9		
85	22+629,5	lewa	5,0	2,85	15,00	17,8		
<b>Razem</b>					<b>283,75</b>	<b>349,5</b>		

Lp.	Pikietaż	Strona	Wymiary zjazdu			Długość opornika	Wymiary przepustu	
			szer.	długość	powierz.		średnica	długość
1	2	3	4	5	6	7	8	9
46	22+148,5	prawa	5,0	1,95	10,50			
47	22+165,5	prawa	5,0	1,85	10,00			
48	22+187,5	prawa	5,0	1,85	10,00			
49	22+212,5	prawa	5,0	1,95	10,50			
50	22+234	prawa	5,0	1,80	9,75			
51	22+260,5	prawa	5,0	1,90	10,25			
52	22+278	prawa	5,0	1,90	10,25			
53	22+305	prawa	5,0	1,90	10,25			
54	22+354	prawa	5,0	2,30	12,25		0,3	8,0
55	22+363	prawa	5,0	2,35	12,50		0,3	8,0
56	22+421	prawa	5,0	2,50	13,25		0,3	8,0
57	22+446	prawa	5,0	2,55	13,50		0,3	8,0
58	22+465	prawa	5,0	2,50	13,25		0,3	8,0
59	22+492	prawa	5,0	2,45	13,00		0,3	8,0
60	22+513,5	prawa	5,0	2,20	11,75			
61	22+543	prawa	5,0	2,15	11,50			
62	22+562	prawa	5,0	1,95	10,50			
63	22+577	prawa	5,0	1,85	10,00			
64	22+604	prawa	5,0	2,80	14,75		0,3	8,0
<b>Razem</b>					<b>636,15</b>	<b>0,0</b>		<b>105,00</b>